## AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An image processing apparatus comprising:

a paper transport mechanism that transports paper, and

an image processing mechanism that performs image reading processing of the paper transported by the paper transport mechanism, said mechanism including an optical sensor operably connected to a working portion of said mechanism, wherein such that

when, in the easeupon detection, by the optical sensor, of a -thet-multi-feeding has eecurred in whichincident where when a first paper is transported by the paper transport mechanism along with another paper is also transported such that the two papers at least partially overlap, and

the working portion of the image processing mechanism performs image reading processing of the first paper when the optical sensor determines that the other paper is not positioned between the first paper and a the working portion of the image processing mechanism; the working portion of the image processing mechanism is allowed to operate.

2. (Currently Amended) An original reading apparatus comprising:

an original transport mechanism that, along with, said mechanism having a movable member that ean make contact withtransports an original original document placed on an original document placement stage, transports the original by delivering it from the original

placement stage by transmitting the movement of the movable member to the original with frictional force between the movable member and the original, which is in contact with the

movable member, and

an original reading mechanism having a light source that illuminates the

original transported original document, an optical sensor, and an optical system that guides light

reflected from the illuminated original document illuminated by the light source to the optical

sensor, and that captures an image of the transported original document transported by the

original transport mechanism, wherein

the moveable member transports a first original document by making contact with said

first original document and delivers it to the reading mechanism by transmitting its movement to

the first original document via frictional force in a manner such that when, in the caseupon

detection, by the optical sensor, -that-of a multi-feeding has occurred in which whenincident

where a-the first original document is transported by the paper transport mechanism-along with

another original document such that the two documents at least partially overlap-is-also

transported, and

the reading operation of the image of the first original document by the original reading

mechanism continues if the optical sensor determines that the other original document is not

positioned between the first original document and a reading portion of the original reading

mechanism, the reading operation of the image of the first original by the original reading

mechanism is continued.

3

3. (Currently Amended) The original reading apparatus according to claim 2, wherein the

Docket No.: 0951-0177PUS1

original transport mechanism is includes a structure in which having a plurality of pages of

originals document pages that have been placed on the original document placement stage with

the original face upward are such that the moveable member supplied and transported supplies

and transports the document pages page by page beginning with the top page, or includes a

structure in whichhaving a plurality of pages of originals document pages that have been placed

on the original document placement stage with the original face downward are supplied and

transported such that the moveable member supplies and transports the document pages page by

page beginning with the bottom page.

4. (Currently Amended) An original reading apparatus comprising:

an original transport mechanism that, along with having, said mechanism having a

movable member that can make contact withtransports an original document placed on an

originala document placement stage, transports the original by delivering it from the original

placement stage by transmitting the movement of the movable member to the original with

frictional force between the movable member and the original, which is in contact with the

movable member, and

an original reading mechanism having a light source that illuminates the transported

original document, an optical sensor, and an optical system that guides light reflected from the

illuminated original document illuminated by the light source to the optical sensor, and that

captures an image of the <u>transported</u> original <u>document</u> original <u>transported</u> by the original transport mechanism, wherein

the moveable member transports a first original document by making contact with said first original document and delivers it to the reading mechanism by transmitting its movement to the first original document via frictional force in a manner such that when, in the easeupon detection, by the optical sensor that of a multi-feeding has occurred in which whenincident where a the first original document is transported by the paper transport mechanism along with another original document is also transported such that the two documents at least partially overlap, and

the reading operation of the image of the first original document by the original reading mechanism is stopped if the optical sensor detects that the other original document is positioned between the first original document and a reading portion of the original reading mechanism, the reading operation of the image of the first original by the original reading mechanism is stopped.

## 5. (Currently Amended) An original reading apparatus comprising:

an original transport mechanism that, along with, said mechanism having a movable member that ean make contact with transports an original document placed on an original document placement stage, transports the original by delivering it from the original placement stage by transmitting the movement of the movable member to the original with frictional force

5

between the movable member and the original, which is in contact with the movable member,

and

an original reading mechanism having a light source that illuminates the transported

original document, an optical sensor, and an optical system that guides light reflected from the

illuminated original document illuminated by the light source to the optical sensor, and that

captures an image of the transported original document transported by the original transport

mechanism, wherein

the moveable member transports a first original document by making contact with said

first original document and delivers it to the reading mechanism by transmitting its movement to

the first original document via frictional force in a manner such that upon detection, by the

optical sensor, of a multi-feeding incident where the first original document is transported along

with another original document such that the two documents at least partially overlap, when, in

the case that multi-feeding has occurred in which when a first original is transported by the paper

transport mechanism another original is also transported, and

the reading operation of the image of the other original document by the original reading

mechanism proceeds if the optical sensor detects that the other original document is positioned

between the first original document and a reading portion of the original reading mechanism, the

reading operation of the image of the other original by the original reading mechanism is

continued.

6

MRC/NYM/

Docket No.: 0951-0177PUS1

6. (Currently Amended) The original reading apparatus according to claim 4 or 5, wherein the

original transport mechanism is-includes a structure in whichhaving a plurality of pages of

originals document pages that have been placed on the original document placement stage with

the original face upward such that the moveable member supplies and transports the document

pages are supplied and transported page by page beginning with the bottom page, or includes a

structure in whichhaving a plurality of pages of originals document pages that have been placed

on the original document placement stage with the original face downward such that the

moveable member supplies and transports the document pagesare supplied and transported page

by page beginning with the top page.

7. (Currently Amended) The original reading apparatus according to claim 4 or 5, wherein the

original reading mechanismoptical sensor detects the leading edge of the other original document

when while reading the first original document is illuminated.

8. (Currently Amended) The original reading apparatus according to claim 5, wherein when

upon detection, by the original reading mechanism has detected optical sensor, of [[-]]the leading

edge of the other original document during reading of while the first original document is

illuminated, the original reading mechanism stops the reading operation of the first original

document and deletes the read image.

9. (Currently Amended) The original reading apparatus according to claim 2, 4, or 5, wherein

the apparatus further including a notifier is provided that, operably connected to the reading

mechanism such that when the reading operation of the first original document could not be

performed due to multi-feeding, makes such a notificationthe notifier generates a notification

indicating read operation failure due to multi-feeding.

10. (Currently Amended) The original reading apparatus according to claim 9, wherein the

notifier makes a notification of information of the original document for which reading could not

be performed due to multi-feeding.

11. (Currently Amended) An electronic equipment, wherein a scanner apparatus, copy

apparatus, or facsimile apparatus, or a multifunction machine in which any two or more of these

apparatuses are combined, is equipped with the image processing apparatus according to claim 1,

wherein the apparatus comprises at least part of an image processing portion of an optical

scanner, copy machine, facsimile machine, or multi-function machine combining any two or

more of said scanner, copy machine, and fax .

12. (Currently Amended) An electronic equipment, wherein a scanner apparatus, copy

apparatus, or facsimile apparatus, or a multifunction machine in which any two or more of these

apparatuses are combined, is equipped with the original reading apparatus according to claim 2.

wherein the apparatus comprises at least part of a document reading portion of an optical scanner, copy machine, facsimile machine, or multi-function machine combining any two or more of said scanner, copy machine, and fax.

13. (Currently Amended) An original reading method comprising:

a step of transporting an a first original document with an original transport mechanism,

a-step-of-reading an image of the transported original <u>document</u> with an original reading mechanism.

a step of detecting, during said transporting, a multi-feeding of incident where another original document when transporting a first original with the original transport mechanismis transported during said transporting such that both documents at least partially overlap, where detecting includes determining relative positions of said first and other original documents, and

a-step of continuing the said reading an image operation of the image of the first original by the original reading mechanism in the case that if determining indicates that the other original document is not positioned between the first original document and the reading portion of the original reading mechanism, even when the multi-feeding has been detected.

14. (Currently Amended) An original reading method comprising:

a step of transporting an-a first original document with an original transport mechanism,

a step-of-reading an image of the transported original document with an original reading

mechanism,

a step of detecting, during said transporting, a multi-feeding incident where another

original document is transported during said transporting such that both documents at least

partially overlap, where detecting includes determining relative positions of said first and other

 $\underline{original\ documents}\underline{\ multi-feeding\ of\ another\ original\ when\ transporting\ a\ first\ original\ with\ the}$ 

original transport mechanism, and

a step of continuingaltering the said reading operation of theto read an image of the other

original document by the original reading mechanism in the case that the multi-feeding has been

detected and the if determining indicates that the other original document is positioned between

the first original document and the reading portion of the original reading mechanism.

10